Submission by Philip Morris U.S.A.

to

The National Toxicology Program

- Appendix 1 -

References

March 20, 1998

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

References

Adlkofer, F., Scherer, G., Heller, W.-D., Sunkeler, X., and Heintz, T., The Significance of Urinary Hydroxyproline Excretion in Smokers and Passive Smokers, In: *Indoor Air Quality*, H. Kasuga (ed.), Springer-Verlag, Berlin, pp. 213-218 (1990)

Adlkofer, F., Scherer, G., Wenzel-Hartung, R., Brune, H., and Thomas, C., Exposure of Hamsters and Rats to Sidestream Smoke of Cigarettes: Preliminary Results of a 90-Day-Inhalation Study, In: *Indoor and Ambient Air Quality*, R. Perry and P.W. Kirk (eds.) Selper Limited, pp. 252-258 (1988)

Armitage, A.K., Ashford, J.R., Gorrod, J.W., and Sullivan, F.M., Environmental Tobacco Smoke -- Is It Really a Carcinogen?, *Medical Science Research*, 25: 3-7 (1997)

ASHRAE, Table 7 Total-Body Emission of Some Gaseous Pollutants by Humans, *1995 ASHRAE Applications Handbook*, p. 41.6 (1995)

Aviado, Domingo M., Suspected Pulmonary Carcinogens in Environmental Tobacco Smoke, *Environmental Technology Letters*, 9: 539-544 (1988)

Black, A., McAughey, J.J., Knight, D.A., Dickens, C.J., and Strong, J.C., Estimation of ETS Retention in Volunteers from Measurements of Exhaled Smoke Composition, *Proceedings of Indoor Air '93*, 3: 41-46 (1993)

Bombick, D.W., Ayres, P.H., Nelson, P.R., Coggins, C.R.E., France, D., Fulp, C., Lee, C., and Doolittle, D.J., Assessment of the Biological Activity of Mainstream or Environmental Tobacco Smoke (ETS) using a Cellular Smoke Exposure Technique, In: *Abstracts of the Twenty-Second Annual Scientific Meeting of the Environmental Mutagen Society*, no. 26 (1991)

Buratti, M., Fustinoni, S., Pellegrino, O., Xaiz, C., Colosio, C., and Colombi, A., Evaluation of Urinary T,T-Muconic Acid as a Biomarker of Benzene Exposure Related to ETS, *Proceedings of Healthy Buildings '95*, pp. 605-609 (1995)

Cerioli, A.S., DNA and Hemoglobin Adducts in People Exposed to Environmental Tobacco Smoke (E.T.S.). A Literature Survey, *Proceedings of Healthy Buildings '95*, pp. 633-638 (1995)

Coggins, C.R.E., Ayres, P.H., Mosberg, A.T., Ogden, M.W., Sagartz, J.W., and Hayes, A.W., Fourteen-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette, I. Inhalation Toxicology and Histopathology, *Fundamental and Applied Toxicology*, 19: 133-140 (1992)

Coggins, C.R.E., Ayres, P.J., Mosberg, A.T., Sagartz, J.W., and Hayes, A.W., Subchronic Inhalation Study in Rats Using Aged and Diluted Sidestream Smoke from a Reference Cigarette, *Inhalation Toxicology*, 5: 77-96 (1993)

PM3003530986

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Coggins, C.R.E., The OSHA Review of Animal Inhalation Studies with Environmental Tobacco Smoke, *Inhalation Toxicology*, 8: 819-830 (1996)

Cress, R.D., Holly, E.A., Aston, D.A., Ahn, D. K., and Kristiansen, J. J.,Characteristics of Women Nonsmokers Exposed to Passive Smoke, *Preventive Medicine*, 23: 40-47 (1994)

Domino, E.F., Estimating Exposure to Environmental Tobacco Smoke - Letter to the Editor, *Journal of the American Medical Association*, 276(8): 603 (1996)

Einhaus, M., Holz, O., Miessner, R., Krause, T., Warncke, K., Held, I., Scherer, G., Tricker, A.R., Adlkofer, F., and Rudiger, H.W., Determination of DNA Single-Strand Breaks in Lymphocytes of Smokers and Nonsmokers Exposed to Environmental Tobacco Smoke Using the Nick Translation Assay, *The Clinical Investigator*, 72: 930-936 (1994)

Finch, G.L., Nikula, K.J., Belinsky, S.A., Barr, E.B., Stoner, G.D., and Lechner, J.F., Failure of Cigarette Smoke to Induce or Promote Lung Cancer in the A/J Mouse, *Cancer Letters*, 99: 161-167 (1996)

Friedman, G.D., Petitti, D.B., and Bawol, R.D., Prevalence and Correlates of Passive Smoking, *American Journal of Public Health*, 73: 401-405 (1983)

Givens, G.H., Smith, D.D., and Tweedie, R.L., Publication Bias in Meta-Analysis: A Bayesian Data-Augmentation Approach to Account for Issues Exemplified in the Passive Smoking Debate, *Statistical Science*, 12(4): 221-250 (1997)

Gorgels, W.J.M.J., van Poppel, G., Jarvis, M.J., Stenhuis, W., and Kok, F.J., Passive Smoking and Sister-Chromatid Exchanges in Lymphocytes, *Mutation Research*, 279: 233-238 (1992)

Gori, G.B., and Mantel, N., Mainstream and Environmental Tobacco Smoke, *Regulatory Toxicology and Pharmacology*, 14: 88-105 (1991)

Haley, N.J., Adams, J.D., Axelrad, C.M., and Hoffmann, D., Sidestream Smoke Uptake by Syrian Golden Hamsters in an Inhalation Bioassay, *Proceedings of Indoor Air '87*, 2: 68-73 (1987)

Heavner, D.L., Morgan, W.T., and Ogden, M.W., Determination of Volatile Organic Compounds and Respirable Suspended Particulate Matter in New Jersey and Pennsylvania Homes and Workplaces, *Environment International*, 22(2): 159-183 (1996)

Hoepfner, I., Dettbarn, G., Scherer, G., Grimmer, G., and Adlkofer, F., Hydroxy-Phenanthrenes in the Urine of Non-Smokers and Smokers, *Toxicology Letters*, 35: 67-71 (1987)

PM3003530987

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Hoffmann, D., Subproject 6: Sidestream Smoke Carcinogenesis Progress Report, In: *Application for Continuation Grant, Experimental Tobacco Carcinogenesis*, Public Health Service ,Department of Health and Human Services, pp. 71-81 (1988)

Holz, O., Krause, T., Scherer, G., Schmidt-Preuss, U., and Rudiger, H.W., ^{32}P-Postlabelling Analysis of DNA Adducts in Monocytes of Smokers and Passive Smokers, *International Archives of Occupational and Environmental Health*, 62: 299-303 (1990)

Holz, O., Meissner, R., Einhaus, M., Koops, F., Warncke, K., Scherer, G., Adlkofer, F., Baumgartner, E., Rudiger, H.W., Detection of DNA Single-Strand Breaks in Lymphocytes of Smokers, *International Archives of Occupational and Environmental Health*, 65: 83-88 (1993)

Husgafvel-Pursiainen, K., Sister-Chromatid Exchange and Cell Proliferation in Cultured Lymphocytes of Passively and Actively Smoking Restaurant Personnel, *Mutation Research*, 190: 211-215 (1987)

Idle, J.R., Titrating Exposure to Tobacco Smoke Using Cotinine -- A Minefield of Misunderstandings, *Journal of Clinical Epidemiology*, 43(4): 313-317 (1990)

Jenkins, R.A., Palausky, A., Counts, R.W., Bayne, C.K., Dindal, A.B., and Guerin, M.R., Exposure to Environmental Tobacco Smoke in Sixteen Cities in the United States as Determined by Personal Breathing Zone Air Sampling, *Journal of Exposure Analysis and Environmental Epidemiology*, 6(4): 473-502 (1996)

Klus, H., Begutter, H., Scherer, G., Tricker, A.R., and Adlkofer, F., Tobacco-Specific and Volatile N-Nitrosamines in Environmental Tobacco Smoke of Offices, *Indoor Environment*, 1: 348-350 (1992)

Lee, C.K., Brown, B.G., Reed B.A., Rahn, C.A., Coggins, C.R.E., Doolittle, D.J., and Hayes, A.W., Fourteen-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette, II. DNA Adducts and Alveolar Macrophage Cytogenetics, *Fundamental and Applied Toxicology*, 19: 141-146 (1992)

Lee, C.K., Brown, B.G., Reed E.A., Coggins, C.R.E., Doolittle, D.J., and Hayes, A.W., Ninety-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette: DNA Adducts and Alveolar Macrophage Cytogenetics, *Fundamental and Applied Toxicology*, 20: 393-401 (1993)

Lee, C.K., Fulp, C., Bombick, B., and Doolittle, D.J., Inhibition of Mutagenicity of *N*-Nitrosamines by Tobacco Smoke and Its Constituents, *Mutation Research*, 367: 83-92 (1996)

PM3003530988

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Lee, P.N., An Assessment of the Epidemiological Evidence Relating Lung Cancer Risk in Never Smokers to Environmental Tobacco Smoke Exposure, In: *Environmental Tobacco Smoke,* H. Kasuga (ed.), Springer-Verlag, United States: 28-84 (1993)

Lee, P.N., ETS and Lung Cancer: A Summary of the Epidemiological Evidence, *Submission to OSHA*, (1995)

Lee, P.N., Lung Cancer and ETS: Is the Epidemiologic Evidence Conclusive?, In: *Proceedings of the Section on Statistics and the Environment,* American Statistical Association, 65-73 (1994)

LeVois, M., and Switzer, P., Differential Exposure Misclassification in Case-Control Studies of Environmental Tobacco Smoke and Lung Cancer, *Journal of Clinical Epidemiology*, 51(1): 37-54 (1998)

LeVois, M.E., and Layard, M.W., Comment Re: "Inconsistency between Workplace and Spousal Studies of Environmental Tobacco Smoke and Lung Cancer", *Regulatory Toxicology and Pharmacology*, 25: 194-195 (1997)

LeVois, M.E., and Layard, M.W., Inconsistency between Workplace and Spousal Studies of Environmental Tobacco Smoke and Lung Cancer, *Regulatory Toxicology and Pharmacology,* 19: 309-316 (1994)

Mahanama, K.R.R., and Daisey, J.M., Volatile *N*-Nitrosamines in Environmental Tobacco Smoke: Sampling, Analysis, Emission Factors, and Indoor Air Exposures, *Environmental Science and Technology*, 30: 1477-1484 (1996)

Martin, F., Hoepfner, I., Scherer, G., Adlkofer, F., Dettbarn, G., and Grimmer, G., Urinary Excretion of Hydroxy-Phenanthrenes After Intake of Polycyclic Aromatic Hydrocarbons, *Environment International*, 15: 41-47 (1989)

Matanoski, G., Kanchanaraksa, S., Lantry, D., and Chang, Y., Characteristics of Nonsmoking Women in NHANES I and NHANES I Epidemiologic Follow-up Study with Exposure to Spouses Who Smoke, *American Journal of Epidemiology*, 142(2): 149-157 (1995)

McAughey, J., Black, A., Strong, J., and Dickens, C., Comparison of Particulate Dose From Exposure to Environmental Tobacco Smoke (ETS) and Mainstream Cigarette Smoke Using Radiotracers, *Annals of Occupational Hygiene*, 41(Supplement 1): 724-727 (1997)

Miller, S.I., Branoff, S., and Nazaroff, W.W., The Contribution of Environmental Tobacco Smoke to the Exposure of Californians' for Sixteen Toxic Air Contaminants, In: *Abstract K2.01*, Society for Risk Analysis, p. 140 (1996)

PM3003530989

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Nilsson, R., Is Environmental Tobacco Smoke a Risk Factor for Lung Cancer?, In: *What Risk?*, R. Bate (ed.), Butterworth Heinemann, Oxford: 96-150 (1997)

Ozkaynak, H., Xue, J., Spengler, J., Wallace, L., Pellizzari, E., and Jenkins, P., Personal Exposure to Airborne Particles and Metals: Results from the Particle Team Study in Riverside, California, *Journal of Exposure Analysis and Environmental Epidemiology*, 6(1): 57-78 (1996)

Reasor, M.J., and Will, J.A., Assessing Exposure to Environmental Tobacco Smoke: Is It Valid to Extrapolate from Active Smoking?, *Journal of Smoking-Related Disease*, 2(1): 111-127 (1991)

Redhead, C. Stephen, and Rowberg, Richard E., *Environmental Tobacco Smoke and Lung Cancer Risk,* Congressional Research Service, November 14, 1995

Richter, E., Branner, B., Kutzer, C., Donhaerl, A.M.E., Scherer, G., Tricker, A.R., and Heller, W.-D., Comparison of Biomarkers for Exposure to Environmental Tobacco Smoke: Cotinine and Haemoglobin Adducts from Aromatic Amines and Tobacco-Specific Nitrosamines in Pregnant Smoking and Nonsmoking Women, *Proceedings of Healthy Buildings '95*, pp. 599-604 (1995)

Roberfroid, M.B., Correlating Exposure to Environmental Tobacco Smoke Exposure with Increased Incidence of Lung Cancer in Non Smokers: Is Cotinine a Valid Marker?, *The Cancer Journal*, 7(3): 108-114 (1994)

Rodgman, A., Environmental Tobacco Smoke, *Regulatory Toxicology and Pharmacology*, 16: 223-244 (1992)

Roe, F.J.C., Laboratory Studies in the Prediction of Lung Cancer Risk, *Indoor and Built Environment*, 5: 196-204 (1996)

Romano, G., Mancini, R., et al., Immunohistochemical Analysis of 4-Aminobiphenyl-DNA Adducts in Oral Mucosal Cells of Smokers and Nonsmokers, *Anticancer Research*, 17: 2827-2830 (1997)

Ruppert, T., Scherer, G., Tricker, A.R., and Adlkofer, F., *trans, trans*-Muconic Acid as a Biomarker of Non-Occupational Environmental Exposure to Benzene, *International Archives of Occupational and Environmental Health*, 69: 247-251, (1997)

Scherer, G., Daube, H., and Adlkofer, F., DNA Adducts as Biomarkers for Exposure to Genotoxic Substances in Tobacco Smoke, *Journal of Toxicology and Environmental Health*, 40: 460 (1993)

Scherer, G., and Richter, E., Biomonitoring Exposure to Environmental Tobacco Smoke (ETS): A Critical Reappraisal, *Human and Experimental Toxicology*, 16: 449-459 (1997)

Scherer, G., Conze, C., Tricker, A.R., and Adlkofer, F., Uptake of Tobacco Smoke Constituents on Exposure to Environmental Tobacco Smoke (ETS), *Clinical Investigator*, 70: 352-367 (1992)

PM3003530990

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Scherer, G., Westphal, K., and Adlkofer, F., Urinary Mutagenicity, Hydroxyphenanthrene, and Thioether Excretion after Exposure to Environmental Tobacco Smoke, In: *Indoor Air Quality*, H. Kasuga (ed.), Springer-Verlag, Berlin, pp. 138-146 (1990)

Scherer, G., Westphal, K., Biber, A., Hoepfner, H., and Adlkofer, F., Urinary Mutagenicity after Controlled Exposure to Environmental Tobacco Smoke (ETS), *Toxicology Letters*, 35: 135-140 (1987)

Sonnenfeld, G., and Wilson, D.M., The Effect of Smoke Age and Dilution on the Cytotoxicity of Sidestream (Passive) Smoke, *Toxicology Letters*, 35: 89-94 (1987)

Sorsa, M., Husgafvel-Pursiainen, K., Jarventaus, H., Koskimies, K., Salo, H., and Vainio, H., Cytogenetic Effects of Tobacco Smoke Exposure Among Involuntary Smokers, *Mutation Research*, 222: 111-116 (1989)

Stehlik, G., Richter, O., and Altmann, H., Concentration of Dimethylnitrosamine in the Air of Smoke-Filled Rooms, *Ecotoxicology and Environmental Safety*, 6: 495-500 (1982)

Sterling, T.D., Glicksman, A., Perry, H., Sterling, D.A., Rosenbaum, W.L., and Weinkam, J.J., An Alternative Explanation for the Apparent Elevated Relative Mortality and Morbidity Risks Associated with Exposure to Environmental Tobacco Smoke, *Journal of Clinical Epidemiology*, 49(7): 803-808 (1996)

Strong, J.C., Black, A., McAughey, J.J., and Knight, D.A., Dosimetry of Environmental Tobacco Smoke and 'Attached' Thoron Progeny, *Proceedings of Indoor Air '93*, 1: 541-546 (1993)

Teredesai, A., and Pruhs, D., Histopathological Findings in the Rat and Hamster Respiratory Tract in a 90-Day Inhalation Study Using Fresh Sidestream Smoke of the Standard Reference Cigarette 2R1, In: *Toxic and Carcinogenic Effects of Solid Particles in the Respiratory Tract*, Dungworth, D.L., Mauderly, J.L., and Oberdorster, G., (eds.), International Life Sciences Institute Press, Washington, D.C., pp. 629-635 (1994)

Thompson, D.H., and Warburton, D.M., Dietary and Mental Health Differences between Never-Smokers Living in Smoking and Non-Smoking Households, *Journal of Smoking-Related Disease*, 4(3): 203-211 (1993)

Thornton, A., Lee, P., and Fry, J., Differences Between Smokers, Ex-Smokers, Passive Smokers and Non-Smokers, *Journal of Clinical Epidemiology*, 47(10): 1143-1162 (1994)

Tricker, A.R., Klus, H., Begutter, H., Scherer, G., and Adlkofer, F., Tobacco-Specific and Volatile N-Nitrosamines in Environmental Tobacco Smoke, *Proceeding of Indoor Air '93*, 3: 47-52 (1993)

PM3003530991

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001

Tricker, A.R., *N*-Nitroso Compounds and Man: Sources of Exposure, Endogenous Formation and Occurrence in Body Fluids, *European Journal of Cancer Prevention*, 6: 226-238 (1997)

van Rooij, J.G.M., Veeger, M.M.S., Bodelier-Bade, M.M., Scheepers, P.T.J., and Jongeneelen, F.J., Smoking and Dietary Intake of Polycyclic Aromatic Hydrocarbons as Sources of Interindividual Variability in the Baseline Excretion of 1-Hydroxypyrene in Urine, *International Archives of Occupational and Environmental Health*, 66: 55-65 (1994)

von Meyerinck, L., Scherer, G., Adlkofer, F., Wenzel-Hartung, R., Brune. H., and Thomas C., Exposure of Rats and Hamsters to Sidestream Smoke from Cigarettes in a Subchronic Inhalation Study, *Experimental Pathology*, 37: 186-189 (1989)

Witschi, H.P., Oreffo, V.I.C., and Pinkerton, K.E., Six-Month Exposure of Strain A/J Mice to Cigarette Sidestream Smoke: Cell Kinetics and Lung Tumor Data, *Fundamental and Applied Toxicology*, 26: 32-40 (1995)

PM3003530992

Source: https://www.industrydocuments.ucsf.edu/docs/hknj0001